

Interactive Motion Mapping for Real-time Character Control

Helge Rhodin¹

James Tompkin^{1,2}

Kwang In Kim^{1,3}

Kiran Varanasi^{1,4}

Hans-Peter Seidel¹

Christian Theobalt¹

¹Max-Planck-Institute for Informatics

²Intel Visual Computing Institute

³Lancaster University

⁴Technicolor Research



LANCASTER
UNIVERSITY



Goal: Intuitive and Immediate Character Control



Computer games



Rapid prototyping in animation

Real-time Character Control - Video Games




GTA 5



Project Spark



Game controller



Motion retargeting

Real-time Character Control - Research




[Seol et al. 2013 “Creature Features”]

Related methods

- [Gleicher 1998] [Hecker et al. 2008]
- [Sturman 1998] [Dontcheva et al. 2003]
- [Baran et al. 2009] [Chen et al. 2012]
- [Vögele et al. 2012] [Yamane et al. 2010]

...

[Chen et al. 2012 “KinÊtre”]



General character skeleton




Deformation by human skeleton

Challenges



Existing approaches

- ▶ Skeleton based body control
- ▶ Cumbersome control definition




Remaining challenges


- ▶ Non-skeleton input and output (e.g. soft body of caterpillar)
- ▶ Unreliable user input (user imprecision)
- ▶ Easy definition of control modality (interface for non-technical users)



Goal – Control by Body Motion




Method Overview




Method Overview – Learning and Synthesis

1. Input





Example mesh animation




Key poses

2. Motion Mapping




Example motions

3. Character Control



Input motion




Character motion

Motion Mapping – Correspondence Definition

Goal: Easy and flexible control definition

Our approach

- ▶ Performance based
- ▶ Few pose examples
- ▶ Guided



The non-technical users is unaware of

- ▶ the expressiveness of his motion
- ▶ the allowed similarity of two control motions

Interactive Correspondence Definition



Confidence score




Input pose



Phase 3: press controller to choose correspondence frame 1 of 8




Control by Body Motion



Motion Mapping

Mapping from input to target character



Implemented as linear map $M x = y$


$$M \begin{pmatrix} \text{Input pose } t \\ \text{Input pose } t-1 \end{pmatrix} = \begin{pmatrix} \text{Character pose } t \end{pmatrix}$$

Bayesian Regression

Properties:


- ▶ Explicit noise model (here Gaussian)
- ▶ Predicts **most probable** character pose

- ▶ Estimates **variance** of prediction:
 - ▶ Low variance \Rightarrow Well represented
 - ▶ High variance \Rightarrow Underrepresented




Outcomes:

- ▶ Mapping Φ^{pose}





- ▶ Confidence bar



Processing of Example Motion – Range of Motion

Problem: Undesired character deformation

Solution: Exploit example motion



“Range of motion”

Example animation
(artist created)





The Latent Volume

Goal: Prevent undesired character deformations

Approach: Approximate the character's range of motion by a high-dimensional box

Method:

- ▶ Represent mesh in vector form
- ▶ Find orientation by principal component analysis
- ▶ Set bounds such that the example motion is included



Application of the Latent Volume



Real motion



Our method




Source motion




No latent volume

Processing of Example Motion – Global Motion




Shape Representation of Target Character


Problem: Direct mesh representation leads to deformations



Solution: Variant of *deformation gradient* representation [Sumner et al. 2004]



Vertices



Face rotation & shear




Character representation

- ▶ Models rotational motions more faithfully
- ▶ Reconstruction required to solve sparse linear system (real-time, 30 fps)

Results – Full-body Input on Horse

Source poses





Target poses


Why a Linear Map?

Linear map

- ▶ Real time
- ▶ Superposition (additivity)
 $f(\mathbf{x} + \mathbf{y}) = f(\mathbf{x}) + f(\mathbf{y})$
- ▶ Transfer of intensity (homogeneity)
 $f(\alpha\mathbf{x}) = \alpha f(\mathbf{x})$



Results – Full-body Input on Sheep



Results - Facial Expression Input


Source motion



Synthesized output



Results - Hand Motion




Discussion

Human coordination is limited

- ▶ Controllable degrees of freedom
- ▶ Observable degrees of freedom

Granularity of control

- ▶ The mapping is learned from only 4-8 correspondences





Summary – Algorithmic Contributions

Challenge

- ▶ Non-skeletal characters
- ▶ Unreliable user input
- ▶ Easy definition of the control


Solution

- ▶ Character representation in shape space
- ▶ Bayesian regression
- ▶ Latent volume
- ▶ Guided correspondence through confidence measure
- ▶ Sparse correspondences



Summary – Achievements

- ▶ **Robust real-time** character control that is independent of a **skeleton**
- ▶ Interface is accessible to **non-technical users**
- ▶ Ongoing cooperation with animation artists indicates the applicability to **character animation**



Interactive Motion Mapping - Real-time Character Control



Helge
Rhodin



James
Tompkin



Kwang In
Kim



Kiran
Varanasi



Hans-Peter
Seidel



Christian
Theobalt

<http://gvv.mpi-inf.mpg.de/projects/DirectMotionMapping>

Mapping

Kinect Mesh
Human to Caterpillar